Sony Ericsson Vivaz[™] pro U8i, U8a



Purpose of this document

Sony Ericsson product White papers are intended to give an overview of a product and provide details in relevant areas of technology.

Document history

Version		
February 2010	First released version	Version 1
March 2010	Second released version	Revision 1
April 2010	Third released version	Revision 2
May 2010	Fourth released version	Revision 3

Sony Ericsson Developer World

For the latest Sony Ericsson technical documentation and development tools, go to www.sonyericsson.com/developer

This White paper is published by:

Sony Ericsson Mobile Communications AB, SE-221 88 Lund, Sweden

www.sonyericsson.com

© Sony Ericsson Mobile Communications AB, 2009-2010. All rights reserved. You are hereby granted a license to download and/or print a copy of this document.

Any rights not expressly granted herein are reserved.

Fourth released version (May 2010) Publication number: 1237-8661 This document is published by Sony Ericsson Mobile Communications AB, without any warranty*. Improvements and changes to this text necessitated by typographical errors, inaccuracies of current information or improvements to programs and/or equipment, may be made by Sony Ericsson Mobile Communications AB at any time and without notice. Such changes will, however, be incorporated into new editions of this document. Printed versions are to be regarded as temporary reference copies only.

This document may reference services or applications provided by third parties. Use of such programming or services may require separate registration with the third party provider and may be subject to additional terms of use. For applications accessed on or through a third-party website, please review such website's terms of use and applicable privacy policy in advance. Sony Ericsson does not warrant or guaranty the availability or performance of any third-party websites or offered services.

Some features described in this document are not supported by all networks and/or service providers in all areas. Please contact your network operator or service provider to determine availability of any specific service or feature and whether additional access or usage fees apply.

*All implied warranties, including without limitation the implied warranties of merchantability or fitness for a particular purpose, are excluded. In no event shall Sony Ericsson or its licensors be liable for incidental or consequential damages of any nature, including but not limited to lost profits or commercial loss, arising out of the use of the information in this document.

Table of contents

Product overview	4
Sony Ericsson Vivaz™ pro phone - Shoot life's picture, add a thousand words	
Facts – dimensions, weight, performance and networks	
Full feature list, by category	7
Technologies in detail	9
Device-to-device communications (local)	9
Bluetooth™ wireless technology	9
Wi-Fi™	10
DLNA™ (Digital Living Network Alliance)	
Java™	
Messaging	13
Graphics acceleration	
Positioning – location based services	.14
Provisioning (OMA CP, OMA DM)	14
Synchronisation (OMA DS, EAS)	
Multimedia (audio, image and video)	
Web browser	
Trademarks and acknowledgements	18

Product overview

Sony Ericsson Vivaz[™] pro phone – Shoot life's picture, add a thousand words

Fancy a quick flirt? Moving the world through your videos? Shoot it. In sharp HD with one touch of the video button on Sony Ericsson Vivaz[™] pro phone. And fuzz-free with continuous auto focus. Use the full keyboard to describe who's with who in as many words as you like. Blog it. Show it. Widescreen scenes from people at play in action playback. Every time. Got it?

Out of office, in the loop

Away from the office and slouching in blue jeans? Or on top of the Blue Mountains? Work where you want. Stay connected and keep it simple. Tap the keyboard and mail away. Send the order, keep order in the office, or order a birthday present for your partner. Error-free freedom. Synch you inbox and diary and keep contacts in check. Be in when you're out.

Be the bright spark

Share it, Tweet™ it and say it, all from one place. Poke your friends on Facebook™. From the library. The boring family gathering, or even the all-nighter. Eureka moment? Just jot it down on the notepad. Stay on top through your desktop.

Share fair

Get the drinks in. Meet the mates. Steal the show. Message everyone you know while you share your video masterpieces on YouTube™ and stills on Picasa™. That's what we call hassle-free background uploading. Enjoy entertainment as it should be. Then go app shopping. On the PlayNow™ service.



Facts – dimensions, weight, performance and networks

Operating system	Symbian™ S60 5th edition	
Size	109 x 52 x 15 mm	
Weight	117 grams	
Available colours	White Black	
Main screen		
Screen type	TFT	
Colours	16,777,216 colours	
Resolution	360x640 pixels	
Size (diagonal)	3.2 inches (16:9 wide touchscreen)	
Scratch-resistant	Yes, Hardcoated	
Input mechanisms		
Handwriting recognition	Yes	
Touch screen	Yes	
QWERTY keyboard	Yes	
Motion sensor	Accelerometer	
Touch gesture	Yes	
Memory		
Phone memory	Up to 70 MB	
Memory card support	microSD™, up to 32 GB	
Networks		
U8i	UMTS HSPA 900 (Band VIII), 2100 (Band I) GSM GPRS/EDGE 850, 900, 1800, 1900	
U8a	UMTS HSPA 850 (Band V), 1900 (Band II), 2100 (Band I) GSM GPRS/EDGE 850, 900, 1800, 1900	
Data transfer speeds		
GSM GPRS	Up to 91.2 kbps (download)	
GSM EDGE	Up to 236.8 kbps (download)	
UMTS HSPA (upload)	Up to 2 Mbps (uplink, HSUPA, Cat 5)	
UMTS HSPA (download)	S HSPA (download) Up to 7.2 Mbps (downlink, HSDPA, Cat 8)	

Talk time (GSM)	Up to 12 hours 30 mins 5 hours 20 mins *
Standby time (GSM)	Up to 430 hours 360 hours *
Talk time (UMTS)	Up to 5 hours 10 mins 4 hours *
Standby time (UMTS)	Up to 440 hours 400 hours *
Video call time	Up to 2 hours 30 mins
Battery	1200 mAh

^{*} According to GSM Association Battery Life Measurement Technique.

Full feature list, by category



Camera

5.1 megapixel camera
4x digital zoom
Auto focus (photos)
Continuous auto focus (video)
Face detection (photos)
Geo tagging
Image stabiliser
Photo light
Picture blogging
Smile detection
Touch capture
Video blogging
Video light
Video recording (720p HD recording)



Music

Album art
Bluetooth™ stereo (A2DP)
Media player
Music player
Music tones (MP3/AAC)
PlayNow™ application
TrackID™ application



Web

Bookmarks Google™ search Pan & zoom HTML 4.01 XHTML 1.1 Web feeds

Web search (from standby mode) WebKit web browser



Communication

Call list
Conference calls
Polyphonic ringtones
Speakerphone
Vibrating alert
Video calling (main camera)



Messaging

Conversations
Email
Handwriting recognition
Instant messaging
Microsoft® Exchange ActiveSync®
Picture messaging (MMS)
Predictive text input
Sound recorder
Text messaging (SMS)



DesignAuto rotate

Picture wallpaper Symbian™ OS Qwerty keyboard Touchscreen Wallpaper animation (Flash only) Wisepilot™ turn-by-turn navigation



Entertainment

3D games
Facebook™ application
FM radio
Java™
Twitter™ application
Video streaming
Video viewing
YouTube™



Organiser

Alarm clock
Calculator
Calendar
Document readers
Flight mode
Notes
Phone book



Connectivity

3.5 mm audio jack
A-GPS
Bluetooth™ technology
DLNA Certified™
Google Maps™
Micro USB connector
Modem
PictBridge™
Synchronisation
Sony Ericsson Sync
TV out
USB mass storage
USB High speed 2.0 support
WAPI (Note: Available in China only)
Wi-Fi™ connection

Technologies in detail

*NOTE: The information outlined below is general and levels of compliance to standards and specifications may vary between products and markets. For more information, contact Sony Ericsson Developer World or your Sony Ericsson contact person where applicable.

Device-to-device communications (local)

Bluetooth™ wireless technology

Bluetooth [™] profiles supported	Advanced Audio Distribution Profile Audio/Video Remote Control Profile Dial-up Networking Profile File Transfer Profile Generic Access Profile Generic Object Exchange Profile Handsfree Profile Headset Profile Object Push Profile Phonebook Access Profile Serial Port Profile
Core version and supported features	2.0+EDR
Connectable devices	Interoperability and compatibility among Bluetooth™ devices varies. This device generally supports products utilizing Bluetooth spec. 1.1, or higher, and at least one of the profiles above.

More information:

www.sonyericsson.com/developer

www.bluetooth.com

Wi-Fi™

Wi-Fi[™] is a popular wireless networking technology that uses radio waves to provide wireless high-speed Internet and network connections. Wi-Fi[™] hotspots exist in an increasing number of locations, for example, airports, hotels, cafés and bistros. If a mobile phone supports Wi-Fi[™], it can be used to take advantage of high data transfer rates and lower calling costs.

Supported standards Connectable devices	IEEE 802.11b/g and Wi-Fi™ Wi-Fi™ access points
Frequency band	2.4 GHz
Security standards	WPA/WPA2 EAP-TLS PEAP EAP-MSCHAPv2 EAP-TTLS EAP-GTC EAP-SIM EAP-AKA WEP 802.1X WPS
Encryption	WEP, TKIP and AES
Power saving	IEEE Power Save UAPSD
QoS	WMM™

DLNA™ (Digital Living Network Alliance)

DLNA is a term used to describe an inter-device media transfer technology. Designed to allow an array of devices in the home to communicate and share content and experiences. DLNA devices can include Hi-Fi equipment, TVs and PCs.

Supported Device Classes	DMS – Digital Media Server Media Types: Music, Images Summary: The digital media server exposes the media files in your phone to a Wi-Fi network. The media can then be accessed from a DLNA client such as a PS3 or even another phone.
Supported Bearers	Wi-Fi™
DRM Support	The Sony Ericsson DLNA implementation does not support DRM protected content.

JavaTM

Java™ Platform, Micro Edition	JSR-75 PDA Optional Packages for J2ME [™] JSR-82 Bluetooth Wireless Technology API JSR-118 MIDP 2.1 JSR-120 Wireless Messaging API JSR-135 Mobile Media API 1.1 JSR-139 CLDC 1.1 JSR-172 J2ME [™] Web Services Specification JSR-177 Security and Trust Services API for J2ME [™] JSR-179 Location API JSR-184 Mobile 3D Graphics API for J2ME [™] JSR-185 Java Technology Wireless Industry 1.0 JSR-205 Wireless Messaging API 2.0 JSR-211 Content Handler API JSR-226 SVG API for J2ME [™] JSR-234 Advanced Multimedia Supplements JSR-239 Java Binding for the OpenGL ES API JSR-248 Mobile Services Architecture JSR-256 Mobile Sensor API (accelerometer) Nokia UI Extension API Capuchin eSWT
Java 3D	JSR-184 Mobile 3D Graphics API for J2ME™

Messaging

MMS Multimedia Messaging Service

According to OMA Multimedia Messaging Service v1.2 + SMIL

Email

Bearer type (IP)	GSM Data (IP) GPRS and HSCSD
Character sets	US-ASCII UTF-7 UTF-8 UTF-16 UCS-2 / ISO10646 UCS2 ISO-8859-1 ISO-8859-2 Eastern Europe ISO-8859-5 Cyrillic ISO-8859-7 Greek ISO-8859-10 Nordic ISO-8859-11 Thai ISO-8859-11 Thai ISO-8859-15 Western MR5 KOI8-R GB18030 Simplified Chinese GB2312 Simplified Chinese BIG5 ISO2022JP Windows® 1251 Cyrillic Windows® 1252 Windows® 1254 Turkish Windows® 1255 Hebrew Windows® 1258 Vietnamese Shift JIS Note: GB2312 is available in Simplified Chinese variants only, that is, Mainland China variants. BIG5 is only available in Traditional Chinese variants, that is, Hong Kong and Taiwan variants.
OTA provisioning solution	OMA Client Provisioning 1.1
Protocols	POP3, SMTP and IMAP4
Push email	IMAP IDLE (extension of IMAP4 Rev1), OMA Email Notification 1.0 and scheduled checking, Microsoft Exchange ActiveSync® (EAS)
Secure email	SSL/TLS, both port methods (POPS/IMAPS) and START-TLS
HTML mail	Yes

Graphics acceleration

This phone supports OpenGL™ ES 1.1 and OpenGL™ ES 2.0 Khronos APIs for native applications.

Positioning - location based services

Supported standards:

JSR-179 (Location API 1.0)

OMA Secure User Plane Location (SUPL) v1.0

Nokia Landmark Exchange format (LMX) - for sharing locations using MMS

Provisioning (OMA CP, OMA DM)

OMA CP version 1.1

OMA DM version 1.1.2, 1.2

Related information:

www.sonyericsson.com/developer

Synchronisation (OMA DS, EAS)

OMA Data Synchronisation protocol versions 1.1.2 and 1.2

OMA Data Formats: vCard 2.1, vCalendar 1.0, notes as text/plain

Microsoft® Exchange ActiveSync® protocol version 2.5

Microsoft® Exchange ActiveSync® protocol version 12

Related information:

www.sonyericsson.com/developer

Multimedia (audio, image and video)

Audio Playback	Decoder format Audio decoding MPEG-1/2/2.5, audio layer 3 AAC, AAC+, eAAC+ AMR-NB WMA version 2,7,8: Class 1 WMA version 9: Level 3 General MIDI (GM) GML SP-MIDI Linear/A-law/u-law PCM iMelody RealAudio	Supported in file format MP3 (.mp3) 3GP (.3gp); AAC (.aac); MP4 (.mp4); M4A (.m4a) 3GP (.3gp); AMR (.amr) WMA (.wma) WMA (.wma) SMF (.mid) SMF (.mid) SMF (.mid) SMF (.mid); XMF (.xmf, .mxmf) WAV (.wav) iMelody (.imy) RA (.ra)
Audio Recording	Encoder format AMR-NB AAC-LC	Supported in file format AMR (.amr) MP4 (.mp4)
Image playback	Decoder format 1,4,8,16,24,32 bpp and RLE encoded formats Single and multi frame, bitmap mask support (GIF87a format and GIF89a format) Joint Photographic Experts Group Multiple image Network Graphic Portable Network Graphics Bit- map mask support LittleEndian and BigEndian sub- type support Wireless Bitmap Single and multi frame Std, apm and clp sub-type sup- port (all valid windows metafiles) Over the air bitmap Single and multi frame Scalable Vector Graphics (SVG) Tiny	Supported in file format BMP (.bmp) GIF (.gif) JPEG (.jpg) MNG (.mng) PNG (.png) TIFF (.tif) WBMP (.wbmp) ICO (.ico) WMF (.wmf) OTB (.otb) MBM (.mbm) SVG-T (.svg)
Image encoding	Encoder format 1,4,8 and 24bpp formats Single frame, no transparency (GIF87a format) Joint Photographic Experts Group Multiple image Network Graphic Portable Network Graphics No transparency Single frame	Supported in file format BMP (.bmp) GIF (.gif) JPEG (.jpg) MNG (.mng) PNG (.png) MBM (.mbm)

Video Playback	Decoder format MPEG-4 Visual Simple Profile H.264 Baseline Profile H.263 Profile 0 VC-1 (WMV9) RealVideo 8, 9, 10	Supported in file format 3GP (.3gp); MP4 (.mp4) 3GP (.3gp); MP4 (.mp4) 3GP (.3gp) ASF (.asf, .wmv) RM (.rm), RAM (.ram), RV (.rv)
Video Recording	Encoder format - Video: H.263 Profile 0 - Audio: AMR-NB - Video: MPEG-4 Visual Simple Profile - Audio: AAC-LC	Supported in file format 3GP (.3gp) MP4 (.mp4)
Audio/Video Streaming	Streaming transport	RTSP according to 3GPP™
DRM	DRM (Digital Rights Management) features the rights and copy protection of downloaded content.	OMA DRM 1.0, 2.0, 2.1

Web browser

Browser version	WebKit, S60 5th edition
Bookmarks	Folders supported
Bookmark export/import	Bookmarks can be sent and received in vBookmark format via Bluetooth™, SMS, MMS and email
Navigation/rendering	Full page PC rendering, Overview mode & Visual History Landscape/portrait rendering Multiple windows
Search	Internet search (Supported by pre-installed applications.) Find on web page (Text search)
Web widgets	S60 5.0 WRT (Web Run Time) Web Widgets
Browser plug-ins	Adobe™ FlashLite™ 3.0 SVG-T Audio/Video
Web feeds	Feeds detection in browser Feeds reader Podcasting
Web albums	Publish to Picasa [™] Publish to YouTube [™] Publish to Facebook [™] (R2.0 onward) Publish to Twitpic [™] (R2.1 onward) Publish to website
Browser compliancy	HTML version 4.01 OMA Browsing 2.1 CSS 2.0 and CSS 2.1 JavaScript 1.5 (ECMA-262 3rd Edition) HTTPXMLRequest AJAX
Protocol compliancy	HTTP/1.1 TLS 1.0 and SSL 3.0 OMA Download 1.0/2.0 RSS 2.0

Related information:

www.sonyericsson.com/developer

www.webkit.org

Trademarks and acknowledgements

The Liquid Identity and Liquid Energy logos, Sony Ericsson Vivaz, PlayNow, BestPic, and TrackID are trademarks or registered trademarks of Sony Ericsson Mobile Communications AB. Sony and "make.believe" are trademarks or registered trademarks of Sony Corporation. Ericsson is a trademark of Telefonaktiebolaget LM Ericsson.

The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Sony Ericsson is under licence. Wi-Fi and WMM are trademarks or registered trademarks of the Wi-Fi Alliance. DLNA and DLNA Certified are trademarks or registered trademarks of the Digital Living Network Alliance. TrackID is powered by Gracenote Mobile MusicID. Gracenote and Gracenote Mobile MusicID are trademarks or registered trademarks of Gracenote, Inc.

Google, Google Maps, YouTube and Picasa are trademarks or registered trademarks of Google, Inc. Flickr is a trademark or registered trademark of Yahoo! Inc. Wisepilot is a trademark of Appello Systems AB and its products are the property of Appello Systems AB and are protected against unauthorized use by trademark laws. Facebook is a trademark or registered trademark of Facebook, Inc. Twitter and Tweet are trademarks or registered trademarks of Twitter, Inc. Twitpic is a trademark or registered trademark of Twitpic, Inc.

PictBridge is a trademark or registered trademark of Canon Kabushiki Kaisha Corporation. MicroSD and Transflash are trademarks or registered trademarks of SanDisk Corporation. Symbian is a trademark or registered trademark of Symbian Software Ltd. OpenGL is a trademarks or registered trademarks of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries. Nokia is a registered trademark of Nokia Corporation.

Microsoft, Windows and ActiveSync are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Adobe and FlashLite are trademarks or registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

3GPP is a trademark or a registered trademark of ETSI. SyncML is a trademark or registered trademark of Open Mobile Alliance Ltd. Java and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

End-user license agreement for Sun Java™ J2ME™:

- 1. Restrictions: Software is confidential copyrighted information of Sun and title to all copies is retained by Sun and/or its licensors. Customer shall not modify, decompile, disassemble, decrypt, extract, or otherwise reverse engineer Software. Software may not be leased, assigned, or sublicensed, in whole or in part.
- 2. Export Regulations: Software including technical data, is subject to U.S. export control laws, including the U.S. Export Administration Act and its associated regulations, and may be subject to export or import regulations in other countries. Customer agrees to comply strictly with all such regulations and acknowledges that it has the responisibility to obtain licenses to export, re-export, or import Software. Software may not be downloaded, or otherwise exported or re-exported (i) into, or to a national or resident of, Cuba, Iraq, Iran, North Korea, Libya, Sudan, Syria (as such listing may be revised from time to time) or any country to which the U.S. has embargoed goods; or (ii) to anyone on the U.S. Treasury Department's list of Specially Designated Nations or the U.S. Commerce Department's Table of Denial Orders.
- 3. Restricted Rights: Use, duplication or disclosure by the United States government is subject to the restrictions as set forth in the Rights in Technical Data and Computer Software Clauses in DFARS 252.227-7013(c) (1) and FAR 52.227-19(c) (2) as applicable.

All other trademarks and copyrights are the property of their respective owners.